

OVENS™

Railing System



Creative
DESIGNS IN RAILING SYSTEMS

Innovation is our strength...



ovENS™
Architectural Hardware



Innovation start by identifying consumer problems and then finding solution

ISO
9001:2015
CERTIFIED

ABOUT COMPANY

We are a Ovens Architectural Hardware team of young professionals: Design, Supply and Build your Dreams of exterior and interiors of your loved Building /Projects.

Established in the year 2017, We are manufacturing Aluminium Glass Railing Profiles Our product range is manufactured using latest technology with best quality raw material in compliance with international quality standard.

Our company as Ovens Architectural Hardware is honored by quality certificate of ISO 9001-2015. we are communicating with our esteemed partners through our professional crew and systems with finding fast solutions, responding to demands and supporting until the time of delivering products.

Our quality control techniques ensure our clients that our product range is excellent in terms of performance, quality and durability. With expansive support of our wide distribution network, we are supplying these products in well on time. Our ethical business policies, client centric policies and competitive price range have formed a huge client base for us in this competitive market. The Ovens Architectural Hardware talented and Innovative team is working on shop design and build.

Our professional team will schedule anin-person appointment with you to take space measurements, offer you design working your professional consultation.

And we always put the best effort and materials to the satisfaction of our clients... We are proud to announce that we have Built Good trust and satisfactory notes from our clientele. Through making a dream in to reality we have put forth our 7 years of continuous Learning and Build Innovations and have smiled with the client with every project we, completed. We look Forward to meet you in person and better understand your Requirements and take forward.



Continuous
System

OVB-01 Ferry Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16 ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 3 ft.

- ▶ The Railing system is continuous aerodynamic aluminium profile.
- ▶ This railing is the perfect investment for any homeowner.
- ▶ Easy installation saves workmanship and time.



OVB-02 Diamond Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16 ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 3 ft.

- ▶ The railing is both sturdy and easy to install, so you can create the perfect look with minimal hassle.
- ▶ This profile is triangle edges with a stunning look.
- ▶ Specially for residence, hotels and public area.



OVB-03 58x32 Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16 ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 3 ft.

- ▶ This railing is also easy to install and does not require a professional to install.
- ▶ This profile is easy to install, the light and slim aluminium railing is a perfect solution for areas where traditional railing can't be installed.



OVB-04 80x37 Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16 ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 3.5 ft.

- ▶ This railing is built to be both elegant and functional.
- ▶ This railing is designed in a way to meet the needs and expectation of the site.
- ▶ The best part is that this Profile is Top ceiling and conceal mounting.



OVB-05 100x37 Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 13 ft. & 16 ft.
2. 12mm Glass Thickness
3. Glass Height up to 3.5 ft.

- ▶ This profile is a sleek and modern mounting solution for attaching a glass panel to a surface.
- ▶ Aesthetic design, easy installation.



OVB-06 117x45 Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 12 ft. & 13 ft.
2. 12mm & 13.5 mm Glass Thickness
3. Glass Height up to 4 ft.

- ▶ The design is sleek and simple. Will not rust, rot or corrode.
- ▶ High strength, ultra-Modern Design unlimited View. For applications in the public area.



OVB-07 125x70 Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 12 ft.
2. 12mm & 15.52 mm Glass Thickness
3. Glass Height up to 4 ft.

- ▶ Aluminium railing will not corrode, making it the perfect material for a railing that will last.
- ▶ The system is commonly used in high-rise building, malls, shopping complex.
- ▶ High structural strength provides maximum security.



OVB-08 50X90 LED Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16 ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 3.5 ft.

- ▶ Easy glass up ultra – slender and base bottom LED continue system, allow you to create balcony railing with endless view.
- ▶ Ultra Modern design with Led System.
- ▶ Perfect Aesthetic view.



OVB-09 Clip Ferry Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16 ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 3 ft.

- ▶ The features of this system are not limited, corrosion resistance also extends to east to maintain attractive design.
- ▶ Innovative Turkish design, Dust-Free, Zero Maintenance.



OVB-10 Modular Ferry Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16 ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 3 ft.

- ▶ Our modular ferry glass aluminium continue is the perfect solution for mounting glass on your porch or balcony.
- ▶ This system is widely uses all over the India and many other countries..



OVB-11 115x40 Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 12ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 3.5 ft.

- ▶ This railing is made of sturdy aluminium and will be a beautiful addition to any porch. The design is sleek and simple.
- ▶ The railing is built to be both elegant and functional, and is easy to install.



OV B-12 50x90 Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16 ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 3.5 ft.

- ▶ A square shape aluminium railing is an attractive and sturdy railing for any deck or patio.
- ▶ This railing is both sturdy and easy to install, so you can create the perfect look with minimal hassle



OVB-13 40x30 Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 2.5 ft.

- ▶ The light and slim aluminium railing is a perfect solution for areas where traditional railing can't be installed.
- ▶ This Profile is slim with zero disturbance view.
- ▶ Economical with good aesthetic design.



OVB-14 Easy Line Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16 ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 2.5 ft.

- ▶ This railing is built to be functional and is easy to install.
- ▶ Slim line elegant design and low maintenance.



OVB-15 120x60 Continue Bottom




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Profile Length 16ft. & 13 ft.
2. 12mm Glass Thickness
3. Glass Height up to 4 ft.

- ▶ This profile designed in a way that completely looks frameless.
- ▶ This product is perfect for any commercial or residential application and will not rust, rot or corrode.
- ▶ Premium design in the segment.





Bracket With Cover
System

OVBC-01 Step Bottom Bracket Cover




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Cover Length 16ft. & 13 ft.
2. Bracket Size – 65mm
3. 12mm Glass Thickness
4. Glass Height up to 3 ft.

- ▶ This Bracket system is top mounted system.
- ▶ The aluminium cover railing is an attractive alternative to the standard metal railing.
- ▶ Best used bracket at every 2.5 feet of distance.



OVBC-02 Heavy Bottom Bracket Cover




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Cover Length 16ft. & 13 ft.
2. Bracket Size – 65mm
3. 12mm Glass Thickness
4. Glass Height up to 4 ft.

- ▶ This Bracket system is suitable for Frameless railing system and no need a system for water drainage.
- ▶ This is the perfect solution for any type of railing, including deck railings, porch railing.
- ▶ Best used bracket at every 2.5 feet of distance.



OVBC-03 Slope Bottom Bracket Cover




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Cover Length 16ft. & 13 ft.
2. Bracket Size – 65mm
3. 12mm Glass Thickness
4. Glass Height up to 3.5 ft.

- ▶ This bracket cover system is high structural strength provides maximum safety.
- ▶ Slope aluminium railing is also easy to install and does not require a professional to install.
- ▶ Best used bracket at every 2.5feet of distance.



OVBC-04 Square(90x56) Bottom Bracket Cover




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Cover Length 16ft. & 13 ft.
2. Bracket Size – 65mm
3. 12mm Glass Thickness
4. Glass Height up to 3 ft.

- ▶ This Bracket cover system is premium design in the segment
- ▶ A square cover aluminium railing is an attractive and sturdy railing for any deck or patio.
- ▶ Best used bracket at every 2.5feet of distance.



OVBC-05 Large Bottom Bracket Ovel Cover




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Cover Length 16ft. & 13 ft.
2. Bracket Size – 65mm
3. 12mm Glass Thickness
4. Glass Height up to 3.5 ft.

- ▶ This bracket cover system is high structural strength provides maximum safety.
- ▶ The features of this system are not limited, corrosion resistance also extends to east to maintain attractive design.
- ▶ Best used bracket at every 2.5 feet of distance.





Bracket
System

OVBS-01 T Type Bottom Bracket




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Bracket Size – 65mm
2. 12mm Glass Thickness
3. Glass Height up to 3 ft.

- ▶ This bracket is suitable for staircase and balcony.
- ▶ With its clean lines and minimalist design, the ALUMINIUM GLASS T BRACKET is the perfect way to complete your decor.



OVBS-02 A Type Bottom Bracket




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Bracket Size – 55mm
2. 12mm Glass Thickness
3. Glass Height up to 3.5 ft.

- ▶ This Railing bracket is economical and compatible
- ▶ The "A" shaped bottom glass bracket is a versatile and stylish bracket that can be used in many different ways



OVBS-03 Ovel Type Bottom Bracket




FINISHES

Powder Coating | Anodized | Wooden

SPECIFICATION

1. Bracket Size - 50mm
2. 12mm Glass Thickness
3. Glass Height up to 3 ft.

- ▶ This bracket is perfect for any modern home.
- ▶ The sleek and elegant design of the bracket makes it perfect for both commercial and residential use.



HANDRAILS



OVH-01 40x40 Square Handrail



OVH-02 50x50 Square Handrail



OVH-03 25x25 Square Handrail



OVH-04 50mm Round Handrail



OVH-05 Diamond Handrail



OVH-06 65x45 Rectangle Handrail



OVH-07 70x35 LED Handrail



OVH-08 2 Side LED Handrail



OVH-09 Round Incline Handrail

HANDRAILS



OVH-10 Star Handrail



OVH-11 Eye Handrail



OVH-12 50x40 Handrail



OVH-13 60x40 Handrail



OVH-14 70x35 Handrail



OVH-15 70x30 Handrail



OVH-16 Capsule Handrail



OVH-17 38mm Round Handrail



OVH-18 65mm Round Handrail

HANDRAILS



OVH-19 Small Rectangle Handrail



OVH-20 17x19 Handrail



OVH-21 Easy Line Handrail



OVH-24 45x45 Octagon Handrail



OVH-26 Club Handrail



OVH-27 Triangle Handrail

NOTES

A series of horizontal dotted lines for writing notes.

OVENS

OVENS™

Mfg. By :

OVENS ARCHITECTURAL HARDWARE

Rajkot (Guj.) India

E-mail : ovenshardware@gmail.com

www.ovenshardware.com